www.apospublications.com



Original Article

## **APOS Trends in Orthodontics**



Article in Press

# Assessing the impact of the COVID-19 pandemic on the quality of evidence reported in the leading orthodontic journals

Khadijah Magaji Abubakar<sup>1</sup>, Nada Tashkandi<sup>2</sup>, Donald Ferguson<sup>3</sup>, Maha Fouad<sup>4</sup>, Eman Allam<sup>5</sup>

<sup>1</sup>Department of Dentistry, General Hospital Minna, Niger, Nigeria, <sup>2</sup>Department of Orthodontics, Riyadh Elm University, Riyadh, Saudi Arabia, <sup>3</sup>Department of Orthodontics, European University College, Dubai, United Arab Emirates, <sup>4</sup>College of Dentistry, Galala University, Attaka, Egypt, <sup>5</sup>National Research Centre, Cairo, Egypt.



\***Corresponding author:** Eman Allam, National Research Centre, Cairo, Egypt.

iman88gh@hotmail.com

Received: 15 February 2024 Accepted: 11 March 2024 EPub Ahead of Print: 23 April 2024 Published:

**DOI** 10.25259/APOS\_43\_2024

Supplementary file https://dx.doi.org/10.25259/ APOS\_43\_2024

Quick Response Code:





## ABSTRACT

**Objectives:** The objective of this study was to assess the effect of the COVID-19 pandemic on the quality of research reporting of the most recent orthodontic literature published in three of the highest impact factor orthodontic journals.

**Material and Methods:** The American Journals of Orthodontics and Dentofacial Orthopedics (AJODO), European Journal of Orthodontics (EJO), and Angle Orthodontist (AO) were searched for randomized controlled trials (RCTs) published from January 2018 to March 2022. Trials were evaluated using the consolidated standards of reporting trial (CONSORT) checklist. Independent *t*-test was used to compare pre-COVID and post-COVID RCTs across CONSORT percentages and to compare journals where those trials were published. Multiple linear regressions were used to study the association of different characteristics with the CONSORT percentage scores. P < 0.05 was considered statistically significant.

**Results:** A total of 117 RCTs were retrieved from the three journals between January 2018 and March 2022. Thesample was classified as 63 pre-COVID studies (53.8%) and 54 (46.2%) post-COVID studies published in three orthodontics journals (27 in AJODO [23.1%], 45 [38.5%] in AO, and 45 [38.5%] in the EJO). The mean percentage of CONSORT compliance was  $84.51\% \pm 14.34\%$ . There was a statistically significant association of CONSORT scores with journals where the trials were published. Compared to AJODO, AO had a lower CONSORT percentage by an average of 18.81, P < 0.001. Independent *t*-test was performed to compare RCTs pre/post-COVID across CONSORT percentages. It showed no statistically significant difference as the mean compliance was  $84.96 \pm 16.01$  for the pre-COVID studies and  $83.99 \pm 12.25$  for post-COVID (P = 0.711).

**Conclusion:** Overall, CONSORT mean score was  $84.51\% \pm 14.34\%$ . AJODO had the highest CONSORT compliance score while AO had the least compliance score. The quality of reporting of RCTs in orthodontic journals was not affected by the pandemic.

Keywords: COVID-19 pandemic, Orthodontics literature, Quality of evidence, Consolidated standards of reporting trials

## INTRODUCTION

In the field of medical and dental research, randomized controlled trials (RCTs) are considered the "gold standard" for clinical guidelines and one of the most important sources of evidence.<sup>[1-3]</sup> Significance of RCTs findings depends on their validity, which is determined by their design,

This is an open-access article distributed under the terms of the Creative Commons Attribution-Non Commercial-Share Alike 4.0 License, which allows others to remix, transform, and build upon the work non-commercially, as long as the author is credited and the new creations are licensed under the identical terms. ©2024 Published by Scientific Scholar on behalf of APOS Trends in Orthodontics

methodology, and execution.<sup>[4]</sup> RCTs ideally entail a study design that eliminates bias and guarantees more valid and valuable data compared to other study designs. They, therefore, present a reliable method for assessment of the effectiveness of therapeutic modalities and medications. Over the years, several objective scales, individual markers, and checklists for assessing the quality of RCTs have been developed.<sup>[5]</sup> A systematic review reported that there were around 21 scales for assessing the quality of RCTs, with varying validity and reliability standards.<sup>[6-8]</sup>

The quality of RCT's can also be assessed using the Consolidated Standards of Reporting Trials (CONSORTs) tool. The CONSORTs statement was first published in 1996; a revised statement was published in 2001 and later in 2010.<sup>[9-11]</sup> CONSORT is a protocol developed to guide researchers not only on how to identify problems arising from conducting RCTs but also to report, fully and clearly, the results yielded by the research, thereby facilitating RCT reading and quality assessment.<sup>[9-11]</sup> This statement consists of a 32-item checklist and a flow diagram in which investigators are encouraged to report on the various aspects of how RCTs were conducted. Some important items include sample size calculation, randomization, blinding, statistical elements, subgroup analyses, and confounding/stratification. CONSORT also consists of a flow diagram that provides a summary of the process of how the RCT was conducted, including the enrolment, allocation, follow-up, and analysis of the participants.<sup>[9]</sup> Although the reporting of RCTs has recently improved, particularly in journals that have adopted the CONSORT statement (post-CONSORT), the reporting of certain items remains suboptimal even when the CONSORT guidelines are seemingly followed.[12-14] Recommendations are offered to authors and researchers by many editors to follow structured-format and to comply with the CONSORT guidelines to enhance RCTs reporting.<sup>[12,13,15]</sup>

The onset of COVID-19 pandemic had a devastating impact all around the world. It had affected many aspects of life in a way that was unprecedented in modern history and the consequences are still not fully recognized. Higher education institutions and universities were forced to adapt to the rapidly changing situation. Research institutions were facing considerable challenges in managing research operations. The mandatory social distancing requirements were difficult to apply in the research setting, particularly in areas requiring bench work and human subjects, as well as fieldwork. Most of this has significantly affected scientists, faculty, research scholars, graduate students, and scholarly activities in general. The career plans of many scientists and researchers were at risk due to the sudden interruption in their research plans by the pandemic.<sup>[16]</sup>

In the dental literature, very few numbers of studies have reported the quality of RCTs including clinical trials in orthodontics<sup>[12-14,17-19]</sup> and no study has been carried out to evaluate the effect of the COVID-19 pandemic on the quality and quantity of RCTs in orthodontics research. The aim of this study was to assess the quality of research reporting of RCTs in the orthodontic literature published in three of the highest impact factor orthodontic journals (the American Journal of Orthodontics and Dentofacial Orthopedics [AJODO], the Angle Orthodontist [AO], and European Journals of Orthodontics [EJO]) and also to assess the effect of COVID-19 pandemic on the quality of reporting of the latest orthodontic literature published in these orthodontic journals.

#### MATERIAL AND METHODS

A retrospective analysis was conducted by reviewing and hand-searching all articles published in AJODO, EJO, and the Angle Orthodontist (AO) from the year 2018 to 2022. Articles that reported RCTs were identified. Identification of the trials was done by searching for the keywords "randomized," "clinical trial," and then retrieving the full text for all the articles. A buffer period was set from September 2019 to August 2020 to allow for the proper classification of the articles into two groups (pre-COVID-19 [January 2018–August 2019] and post-COVID-19 [September 2020– March 2022]).

Critical appraisal and investigation of the quality of all included RCTs were performed. All RCTs were read in full and assessed using the CONSORT checklist [Supplementary Figure 1].<sup>[20]</sup> A score of "yes, no, or not applicable (NA)" was assigned to all 37 items for each trial according to the compliance and adequacy of information description as judged by two independent investigators. The total score for each trial was calculated and converted to a percentage using the equation:

Total score = (total number of "Yes"/[37-total number of "NA" items])  $\times 100^{[11]}$  Discrepancies between both reviewers were resolved by discussion and agreement. Additional data items were extracted from each article including the number of authors, year of publication, country, setting, number of groups, type of orthodontic treatment, and statistical testing used.

#### Statistical analysis

To ensure inter-rater reliability, a 10% random sample of the articles was scored by the two examiners separately and compared to assess the reproducibility of the CONSORT score. Descriptive statistics were presented in the form of mean and standard deviation (SD) for numerical variables or numbers and percentages for the categorical variables. Independent *t*-test was used to compare pre-COVID and post-COVID RCTs across CONSORT percentage and to compare journals where those trials were published. Multiple linear regressions were used to study the association of different characteristics with the CONSORT percentage scores. The Statistical Package for the Social Sciences v.28 software was used for the analysis. P < 0.05 was considered statistically significant.

#### RESULTS

Correlation test showed high reliability of 0.99 and 0.96 suggesting overall excellent inter-rater agreement and reliability. A total of 117 RCTs were included in the study. The sample was classified as follows: 63 pre-COVID studies (53.8%) and 54 (46.2%) post-COVID studies, published in three orthodontics journals (27 [23.1%] in AJODO, 45 [38.5%] in AO, and 45 [38.5%] in the EJO). Mean percentage of CONSORT compliance was 84.51% ± 14.34%. Eleven (9.4%) of the studies were from USA, 53 (45.3%) from Europe, while 53 (45.3%) were from other countries. Fortysix (39.3%) of the trials were reported by four authors or less, 66 (56.4%) by 5-8 authors, and only five (4.3%) were reported by more than eight authors. The highest percentage of the trials 36, 30.8% were published in 2018, 27, 23.1% were published in 2019, 22, 18.8% were published in 2020, and 20, 17.1% were published in 2021 [Table 1 and Figure 1].

Independent *t*-test was performed to compare RCTs pre/ post-COVID across CONSORT percentages. It showed no statistically significant difference as the mean compliance was  $84.96 \pm 16.01$  for the pre-COVID studies and  $83.99 \pm 12.25$ for post-COVID (*P* = 0.711) [Table 2].

CONSORT compliance scores were compared among the three journals for pre/post-COVID using an independent *t*-test. Statistically significant difference was recorded for the AO where CONSORT percentages were higher for the post-COVID studies (81.45 ± 15.53) than pre-COVID (70.27 ± 16.03) (P = 0.022). For the EJO, a statistically significant difference (P < 0.001) was also recorded where CONSORT percentages were higher for the pre-COVID studies (93.23 ± 9.36) than post-COVID (81.93 ± 7.85). For the AJODO, there was no significant difference [Table 3 and Figure 2].

To assess the association of different factors with the CONSORT score, multiple linear regressions were used. There was a statistically significant association of CONSORT scores with journals where the trials were published. As compared to AJODO, AO had a lower CONSORT percentage by an average of 18.81, P < 0.001. All other factors showed no statistically significant association with the CONSORT percentage [Table 4].

#### DISCUSSION

Orthodontic literature is a critical source for evidence-based practice and decision-making for all practitioners. The ability

	n	%	Mean (SD)
Pre/post-COVID			
Pre-COVID	63	53.8	
Post-COVID	54	46.2	
Journal			
AJODO	27	23.1	
AO	45	38.5	
EJO	45	38.5	
CONSORT complia	nce %		84.51 (14.34)
Country			
USA	11	9.4	
Europe	53	45.3	
Other	53	45.3	
Number of Authors			
4 or less	46	39.3	
5-8	66	56.4	
More than 8	5	4.3	
Year			
2018	36	30.8	
2019	27	23.1	
2020	22	18.8	
2021	20	17.1	
2022	12	10.3	

AJODO: American journals of orthodontics and dentofacial orthopedics, AO: Angle orthodontist, EJO: European journal of orthodontics, SD: Standard deviation, CONSORT: Consolidated standards of reporting trials.

Table	2:	Comparison	of	CONSORT	scores	between	the
pre-CO	DVI	D and post-CC	OVII	) studies.			


	п	Mean	SD	P-value
Pre-COVID	63	84.96	16.01	0.711
Post-COVID	54	83.99	12.25	
SD. Standard deviation CONSOPT. Consolidated standards of reporting				

SD: Standard deviation, CONSORT: Consolidated standards of reporting trials.


**Table 3:** Comparison of CONSORT scores for pre-COVID andpost-COVID studies published in the three journals.

Journal	n	Mean	SD	P-value
AJODO				
Pre-COVID	17	92.29	8.56	0.525
Post-COVID	10	94.16	4.05	
AO				
Pre-COVID	22	70.27	16.03	0.022
Post-COVID	23	81.45	15.53	
EJO				
Pre-COVID	24	93.23	9.36	<0.001
Post-COVID	21	81.93	7.85	

AJODO: American journals of orthodontics and dentofacial orthopedics, AO: Angle orthodontist, EJO: European journal of orthodontics, SD: Standard deviation, CONSORT: Consolidated standards of reporting trials. Bold font indicates statistical significance.



**Figure 1:** (a) Journals where the studies were published, (b) countries of the included studies, (c) number of authors in the included studies, and (d) number of studies published per year. AJODO: American journals of orthodontics and dentofacial orthopedics, AO: Angle orthodontist, EJO: European journal of orthodontics.



**Figure 2:** Mean Consolidated Standards of Reporting trials scores by journal (pre/post-COVID). CONSORT: Consolidated standards of reporting trials.

to judge the quality of research reporting is necessary to allow clinicians and researchers to reach a valid conclusion and make a correct decision. A comprehensive evaluation of the profile of the most recent orthodontic research and literature will help the orthodontic community update their information on its reliability and effectiveness in answering clinical- and practice-related questions.<sup>[21]</sup>

The COVID-19 outbreak in early 2020 tremendously influenced all life situations including academia.<sup>[22]</sup> The higher education system, including research output, was greatly affected on different scales.<sup>[23]</sup> The aim of this study was to assess the effect of COVID-19 pandemic on quality of research reporting of the most recent orthodontic literature published in three of the highest impact factor orthodontic journals.

Lempesi *et al.*, in their study, concluded that the methodological quality of RCTs in prominent orthodontic

 Table 4: Multiple linear regression for the factors affecting CONSORT score.

	Coefficient	P-value	95% C.I. for coefficient	
Pre/post-COVID				
Pre-COVID	Ref.			
Post-COVID	0.97	0.683	-3.74	5.69
Journal				
AJODO	Ref.			
AO	-18.81	< 0.001	-25.13	-12.49
EJO	-3.45	0.271	-9.64	2.73
Country				
USA	Ref.			
Europe	-6.56	0.151	-15.54	2.42
Other	1.39	0.743	-6.98	9.75
Authors				
<4	Ref.			
5-8	-0.60	0.807	-5.47	4.27
>8	7.91	0.199	-4.23	20.04
D C D C			TODO I	

Ref: Reference category, C.I.: Confidence interval, AJODO: American journals of orthodontics and dentofacial orthopedics, AO: Angle orthodontist, EJO: European journal of orthodontics, CONSORT: Consolidated standards of reporting trials.

journals was below expectations, especially when compared to other dental and medical periodicals.<sup>[24]</sup> It is worth mentioning that while the CONSORT criteria have been used for RCTs analysis by more than 800 international periodicals of different specialties, in orthodontics, only some journals such as the EJO and AJODO decided to endorse the use of these criteria to accept RCTs for publication. Sandhu *et al.*, reported significant improvements in the quality of RCTs after these journals began to adopt CONSORT criteria.<sup>[25]</sup> Such progress was particularly noticed in articles published from 2010 on, when CONSORT was revised.

In the current study, a total of 117 RCTs (63 pre-COVID and 54 post-COVID) were included in the assessment. The mean percentage of CONSORT compliance was  $84.51\% \pm 14.34\%$  for articles published from 2018–2022. Previously, Bearn and Alharbi<sup>[12]</sup> investigated whether authors in the orthodontic field of research report RCTs adequately as defined by the CONSORT statement by reviewing the orthodontics RCTs published between 2008 and 2012. They reported a mean CONSORT score of 51.7% and an overall compliance increase from 47.8 to 56.3% between 2008 and 2012.<sup>[12]</sup> Similarly, Kloukos *et al.* assessed the quality reporting of RCTs published in prosthodontics and implantology journals, and they reported a mean modified CONSORT score of 60.9% to -80.6% across the journals.<sup>[26]</sup>

While screening and during the process of data extraction for the current study, certain trends of research focus in orthodontics RCTs were noticed. For example, during 2018, most of the studies centered around evaluating the effect of vibration devices such as AcceleDent Aura Appliance on the acceleration of orthodontic tooth movement, space closure, treatment duration, and occlusal outcomes as well as the lowlevel laser therapy and its effect on pain reduction and repair of orthodontically induced inflammatory root resorption.

The findings of the current study indicated that there was no statistically significant difference between pre- and post-COVID CONSORT scores with a mean compliance of 84.96  $\pm$  16.01 for the pre-COVID studies and 83.99  $\pm$  12.25 for post-COVID (P = 0.711) implying that the pandemic did not affect the overall quality of reporting of RCTs across the three orthodontic journals. Therefore, although COVID-19 had a significant impact on the orthodontic practice and education in general, it did not seem to similarly affect the research output and specifically the RCTs reported in the top orthodontics specialty journals.

Results also showed that AJODO recorded the highest CONSORT mean score, followed by the EJO, while the least compliance score was recorded for AO by an average of 18.81, P < 0.001 when compared to AJODO. Similar findings were reported by Alharbi and Almuzian, who stated that AJODO scored the highest among four other orthodontics journals with regard to the quality of reporting RCT abstracts for the period of 2012-2017.<sup>[27]</sup> On the other hand, Bearn and Alharbi<sup>[12]</sup> reported the highest CONSORT compliance score for the Journal of Orthodontics (73%) as compared to the AJODO (53.9%), EJO (48.9%), and the lowest was achieved by AO (44%) which was attributed to the fact of JO strict endorsement of CONSORT statement while AO did not.

#### CONCLUSION

The quality of reporting of RCTs in orthodontic journals was not affected by the pandemic. AJODO had the highest CONSORT compliance score while the AO had the least compliance score.

#### **Ethical approval**

The Institutional Review Board approval is not required.

#### Declaration of patient consent

Patient's consent not required as there are no patients in this study.

#### Financial support and sponsorship

Nil.

#### **Conflicts of interest**

There are no conflicts of interest.

# Use of artificial intelligence (AI)-assisted technology for manuscript preparation

The authors confirm that there was no use of artificial intelligence (AI)-assisted technology for assisting in the writing or editing of the manuscript and no images were manipulated using AI.

#### REFERENCES

- Concato J, Shah N, Horwits RI. Randomized, controlled trials, observational studies, and the hierarchy of research designs. N Eng J Med 2000;342:1887-92.
- 2. Gibson RM, Harison JE. What are we reading now? An update on the papers published in the orthodontic literature (1999-2008). J Orthod 2011;38:196-207.
- 3. Vaid N, Doshi V, Vandekar M. What's "Trend"ing in orthodontic literature? APOS Trends Orthod 2016;6:1-4.
- 4. Hopewell S, Clarke M, Moher D, Wager E, Middleton P, Altman DG, *et al.* CONSORT for reporting randomized controlled trials in journal and conference abstracts: Explanation and elaboration. PLoS Med 2008;5:e20.
- Chung JH, Kang DH, Jo JK, Lee SW. Assessing the quality of randomized controlled trials published in the journal of Korean medical science from 1986 to 2011. J Korean Med Sci 2012;27:973-80.
- 6. Olivo SA, Macedo LG, Gadotti IC, Fuentes J, Stanton T, Magee DJ. Scales to assess the quality of randomized controlled trials: A systematic review. Phys Ther 2008;88:156-75.
- 7. Higgins JPT, Altman DG, Gøtzsche PC, Juni P, Moher D, Oxman AD, *et al.* The cochrane collaboration's tool for assessing risk of bias in randomised trials. BMJ 2011;343:d5928.
- 8. Jaded AR, Moore RA, Caroll D, Jenkinson C, Reynolds DJ,

Gavaghan DJ, *et al.* Assessing the quality of reports of randomized clinical trials: Is blinding necessary? Control Clin Trials 1996;17:1-12.

- Schulz KF, Altman DG, Moher D, CONSORT Group. CONSORT 2010 statement: Updated guidelines for reporting parallel group randomised trials. BMJ 2010;340:c332.
- Begg C, Cho M, Eastwood S, Horton R, Moher D, Olkin I, *et al.* Improving the quality of reporting of randomized controlled trials. The CONSORT statement. JAMA 1996;276:637-9.
- 11. Moher D, Schulz KF, Altman DG, CONSORT GROUP (Consolidated Standards of Reporting Trials). The CONSORT statement: Revised recommendations for improving the quality of reports of parallel-group randomized trials. Ann Intern Med 2001;134:657-62.
- 12. Bearn DR, Alharbi F. Reporting of clinical trials in the orthodontic literature from 2008 to 2012: Observational study of published reports in four major journals. J Orthod 2015;42:186-91.
- Fleming PS, Buckley N, Seehra J, Polychronopoulou A, Pandis N. Reporting quality of abstracts of randomized controlled trials published in leading orthodontic journals from 2006 to 2011. Am J Orthod Dentofacial Orthop 2012;142:451-8.
- 14. Flint HE, Harrison JE. How well do reports of clinical trials in the orthodontic literature comply with the CONSORT statement? J Orthod 2010;37:250-61.
- 15. Pandis N, Shamseer L, Kokish VG, Fleming PS, Moher D. Active implementation strategy of CONSORT adherence by a dental specialty journal improved randomized clinical trial reporting. J Clin Epidemiol 2014;67:1044-8.
- 16. Rashid S, Yadav SS. Impact of Covid-19 pandemic on higher education and research. Indian J Hum Dev 2020;14:340-3.
- 17. Harrison JE. Clinical trials in orthodontics II: Assessment of the quality of reporting of clinical trials published in three orthodontic journals between 1989 and 1998. J Orthod 2003;30:309-15; discussion 297-8.

- 18. Qin D, He H, Tu YK, Hua F. Enhancing the quality of reporting of orthodontic clinical research. Semin Orthod 2024;30:2-9.
- Seehra J, Pandis N. Pay attention to the analysis: Common statistical errors in orthodontic randomised clinical trials. Semin Orthod 2024;30:68-71.
- Moher D, Hopewell S, Schulz KF, Montori V, Gøtzsche PC, Devereaux PJ. CONSORT 2010 explanation and elaboration: Updated guidelines for reporting parallel group randomised trials. BMJ 2010;340:c869.
- 21. Pham TM, Pandis N, White IR. Missing data: Issues, concepts, methods. Semin Orthod 2024;30:37-44.
- 22. Marya A, Venugopal A, Vaid N, Alam MK, Karobari MI. Essential attributes of clear aligner therapy in terms of appliance configuration, hygiene, and pain levels during the pandemic: A brief review. Pain Res Manag 2020;2020:6677929.
- 23. Pandis N, Polychronopoulou A, Eliades T. An assessment of quality characteristics of randomised control trials published in dental journals. J Dent 2010;38:713-21.
- 24. Lempesi E, Koletsi D, Fleming PS, Pandis N. The reporting quality of randomized controlled trials in orthodontics. J Evid Based Dent Pract 2014;14:46-52.
- 25. Sandhu SS, Sandhu J, Kaur H. Reporting quality of randomized controlled trials in orthodontics--what affects it and did it improve over the last 10 years? Eur J Orthod 2014;37:356-66.
- 26. Kloukos D, Papageorgiou SN, Doulis I, Petridis H, Pandis N. Reporting quality of randomised controlled trials published in prosthodontic and implantology journals. J Oral Rehabil 2015;42:914-25.
- 27. Alharbi F, Almuzian M. The quality of reporting RCT abstracts in four major orthodontics journals for the period 2012-2017. J Orthod 2019;46:225-34.

How to cite this article: Abubakar KM, Tashkandi N, Ferguson D, Fouad M, Allam E. Assessing the impact of the COVID-19 pandemic on the quality of evidence reported in the leading orthodontic journals. APOS Trends Orthod. doi: 10.25259/APOS\_43\_2024